RESEARCH PAPER

A DEA Approach to Measuring Teammate-Adjusted Efficiencies Incorporating Learning Expectations: An Application to Oil & Gas Wells Drilling

Hessam Nedaei¹, Seyed Gholamreza Jalali Naini^{2*}& Ahmad Makui³

Received 28 March 2020; Revised 17 September 2020; Accepted 21 September 2020; © Iran University of Science and Technology 2021

ABSTRACT

Data Envelopment Analysis (DEA) measures the relative efficiency of Decision-Making Units (DMUs) with multiple inputs and multiple outputs. In the case of considering a working team as a DMU, it often comprises multiple positions with several employees. However, there is no method to measure the efficiency of employees individually taking account the effect of teammates. This paper presents a model to measure the efficiency of employees such that they are fairly evaluated regarding relative performances of their teammates. Moreover, the learning expectations and the effect of learning lost due to operation breaks are incorporated into the DEA model. This model is thus able to rank the employees working in each position that can then be utilized within award systems. The capabilities of the proposed model are then explored by a case study of 20 wells with 160 distinct operations in the South Pars gas field, which is the first application of DEA in the oil and gas wells drilling performance analysis.

KEYWORDS: Data envelopment analysis; Teammate efficiency; Learning; Oil and gas; Drilling.

1. Introduction

Oil and gas drilling projects, which are one of the groundworks of world economy, utilize more than 250 offshore and 900 land drilling rigs worldwide [1]. Several employees including those related to the operator, rig contractor, and service companies are involved in drilling operations. Execution of these projects requires rotation schemes that could be very variable for different positions. For instance, projects may confront rotation schemes such as four weeks on, four weeks off; six weeks on, three weeks off; eight weeks on, four weeks off; or even twenty weeks on, four weeks off [2]. The combinations of the rotational personnel construct various groups that ultimately run drilling operations. These operational groups of employees are essential to the success of drilling projects. Besides, returns on investment in the oil and gas

Corresponding author: Seyed Gholamreza Jalali Naini sgjalali@iust.ac.ir

sector have considerably decreased since 2007. Even at a time of 100 USD/bbl oil price, numerous operators had difficulties in meeting their commitments. Since the oil price has halved, it is more evident than any other time that there is an essential requirement for operators to reduce their costs. It has been revealed that rigorous performance management could reduce up to 5 percent to 10 percent of a well's cost [3]. Such performance data could be measured by the well-known approach of Data Envelopment Analysis (DEA), which is a technique for measuring the relative efficiency of a set of Decision-Making Units (DMUs) that apply multiple inputs to produce multiple outputs. Since the groundbreaking work of Charnes et al. [4], various studies expressing the methodology and application of DEA have been published as reviewed in a 30-year survey of Cook and Seiford [5], a 40-year survey and bibliography of Emrouznejad and Yang [6], and a review of efficiency-ranking methods of Aldamak and Zolfaghari [7].

In the oil and gas industry, many operator companies apply learning curves in their costestimating guidelines [8]. Applying the learning curve concept to operations management has numerous benefits including setting more



^{1.} Department of Industrial Engineering, Iran University of Science and Technology, Tehran, Iran.

^{2.} Department of Industrial Engineering, Iran University of Science and Technology, Tehran, Iran.

^{3.} Department of Industrial Engineering, Iran University of Science and Technology, Tehran, Iran.

accurate operational standards, predicting operation output, identifying non-conforming units, and competitive pricing [9]. Learning curves provide a mathematical representation of the learning process that takes place as activity repetition occurs over a period of time [10,11]. These curves were initially proposed by Wright [12] by detecting cost reduction after conducting repetitive tasks in production plants.

48

As discussed by Mislick and Nussbaum [13], operation breaks take place when a system yields some output and operation suddenly terminates. Generally, the longer the break, the greater loss of learning for employees, as they forget the processes that they had learned. Mislick and Nussbaum [13] also presented the steps required to specify how much learning was achieved and how much was then lost.

The learning effect can be considered in the DEA models as an external factor. For instance, Chang et al. [14] and Lyu et al. [15] presented a DEA model that incorporates the estimation of a learning effect as an external parameter. Although they have included the learning effect in their model, they have not considered lost learning in the case of an operational break.

Ang et al. [16] developed group efficiency and group cross-efficiency models to evaluate Taiwan hotel chains and subsidiary hotels. They also definition for presented а the average performance that considers group efficiency as the average of its members' performance. Their models focus on the performance of hotel chains from the view of the group rather than individual hotels. However, their model does not measure the efficiencies in a more complicated structure of groups, e.g., those derived from employee rotation schemes.

To overcome the mentioned limitations, this paper develops a DEA model which is able to measure adjusted efficiencies based on teammates' performance levels in a system consisting of multiple positions with employees working in rotation schemes. This model is thus able to rank the employees working in each position that can then be utilized within award systems. Moreover, although many authors have applied DEA in energy and environment in the past four decades as reviewed by Sueyoshi et al. [17], DEA has not been utilized for measuring the drilling efficiency of oil and gas wells. Therefore, the present paper is the first application of DEA in the case of oil and gas wells drilling performance analysis.

This paper proceeds to investigate the research question of how to measure the teammateadjusted efficiency of employees in a multiposition system. More specifically, related to our case study, the aim is to answer the following questions: "what are the ranks of the drilling supervisors and directional drillers in the drilling operations of 20 wells in the South Pars gas field considering teammates' performances and learning expectations?"

The remainder of this paper is organized as follows. Section 2 introduces the proposed model. Section 3 illustrates the application of the model in the case of oil and gas wells drilling. Finally, Section 4 concludes the discussion.

2. Proposed Model

As discussed in the introduction, in the case of considering working teams as DMUs, they often comprise multiple positions with several employees. In addition, the combinations of the rotational personnel construct several groups of employees that ultimately run distinct drilling operations. In this case, the management team has more interest to focus on the overall performance of each employee instead of the performance of a specific piece of operation. In this regard, we provide a definition for employee efficiency. Then, we further the evaluation by measuring the efficiency related to the twoperson combinations and the groups of employees. To frame the development of these models, we consider n distinct operations as the DMUs within the proposed model. These operations are conducted by a group of Kpositions with H_p employees for each position p, $p = 1, \dots, K$. We also consider each DMU_i, $j=1,\ldots,n$, that deals with s outputs Y_{rj} and m inputs X_{ii} .

Fig. 1 depicts the structure of a DMU constructed by multiple positions.




Fig. 1. Structure of a DMU constructed by multiple positions

As mentioned in the DMU structure, a single employee is working for each position. Therefore, we will have a K-person group of employees for each DMU with K positions. A list of all indices, parameters, and variables used in the model is given in the nomenclature section.

Nomenclature

Indices

i inputs, $i = 1, \dots, m$

r outputs, $r = 1, \dots, s$

j DMUs, j = 1, ..., n; distinct operations

p positions in a DMU, p = 1, ..., K

e employees in a position, $e = 1, ..., H_p$

t two-person combinations of employees working in distinct operations, t = 1, ..., T

g groups of employees related to all positions working in distinct operations, g = 1, ..., G

Parameters

 X_{ij} input values for input *i* in DMU *j*

 Y_{rj} output values for output *r* in DMU *j*

 α_i^{ep} presence of employee *e* of position *p* in distinct operation DMU *j*

 α_j^t presence of two-person combination t in distinct operation DMU j

 α_i^g presence of group g in distinct operation DMU j

 β_g^{ep} presence of employee *e* of position *p* in group *g*

 $\gamma_{ep,j}^{e'p'}$ presence of employee e' of position p' in DMU j while his/her teammate employee e of position p is not present in the same operation of DMU j

 L_c Expected learning achieved in the operation sequence c

Variables

 v_i multiplier variables related to inputs *i*

 u_r multiplier variables related to outputs r

 E^{ep} efficiency score of employee *e* of position *p*

- E^t efficiency score of two-person combination t
- E^{g} efficiency score of group g

 E_{i}^{ep} efficiency score of distinct operation DMU *j* measured by employee *e* of position *p*

$$R_{ep}^{e'p'}$$
 efficiency ratio of teammate e' of position p' against employee e of position p

 $\hat{v_p}$ multiplier variables related to teammate *a*

 \hat{u} multiplier variables related to efficiency score of the associated group

 E_{adj}^{ep} adjusted efficiency score of employee *e* of position *p*

j = 1, ..., n, respectively.

efficiency of DMU o, the input-oriented

multiplier form of the CCR model proposed by Charnes et al. [4] under the assumption of

constant returns to scale is formulated as follows:

To measure the

(1)

To measure the teammate-adjusted efficiency of employees, the model is proposed with two steps as follows.

2.1. Step 1

Let X_{ij} and Y_{ij} denote the i^{th} input, i = 1, ..., m, and r^{th} output, r = 1, ..., s, of the j^{th} DMU,

$$E_{o} = \max \sum_{r=1}^{s} u_{r} Y_{ro}$$
 (optimization for each DMU
s.t.

$$\sum_{i=1}^{m} v_{i} X_{io} = 1,$$

$$\sum_{r=1}^{s} u_{r} Y_{rj} - \sum_{i=1}^{m} v_{i} X_{ij} \le 0,$$

$$v_{i}, u_{r} \ge 0,$$

$$j = 1, ..., n$$

$$i = 1, ..., n$$

$$i = 1, ..., n$$

where v_i and u_r are the multiplier variables of input *i* and output *r*, respectively.

The employees' performance is measured by the efficiency of distinct operations in which they have worked. Therefore, the performance of an employee can be considered as the average of the related operations' performances. We define employee efficiency in the following.

Definition 1 The efficiency of employee e, $e = 1,...,H_p$, of position p, p = 1,...,K, denoted by E^{ep} , is as follows:

$$E^{ep} = \frac{1}{\sum_{j=1}^{n} \alpha_{j}^{ep}} \left(\sum_{j=1}^{n} \alpha_{j}^{ep} \frac{\sum_{r=1}^{s} u_{r}^{ep} Y_{rj}}{\sum_{i=1}^{m} v_{i}^{ep} X_{ij}} \right)$$
(2)

where α_j^{ep} is a binary matrix representing the presence of employee *e* of position *p* in distinct operation DMU *j*; thus, $\sum_{j=1}^{n} \alpha_j^{ep}$ equals the number

of distinct operations in which employee *ep* has worked.

The efficiencies of DMUs for which employee ep has worked are expressed by common weights of (v_i^{ep}, u_r^{ep}) . Since the employee is present in all the related distinct operations and the efficiency is measured from this employee's point of view, a common weight bundle is utilized within groups of operations in which the employee has

worked. This is similar to the group efficiency proposed by Ang et al. [16]. The optimal weight set is specified with a DEA model that intends to maximize the average efficiency. However, we will confront a non-linear fractional problem due to the existence of the average sum of efficiency scores in the objective function. Hence, an alternative method is proposed to model employee efficiency utilizing an aggregated virtual unit. The inputs and outputs for this aggregated unit are the summations of inputs and outputs of distinct operations, respectively, for which the employee has worked. Therefore, Eq. (3) is used to represent employee efficiency.

$$E^{ep} = \frac{\sum_{i=1}^{n} \sum_{j=1}^{n} \alpha_{j}^{ep} u_{r}^{ep} Y_{ij}}{\sum_{i=1}^{m} \sum_{j=1}^{n} \alpha_{j}^{ep} v_{i}^{ep} X_{ij}}$$
(3)

Therefore, the model to find the best score of average efficiency for each employee e of position p is given below:

$$E^{ep} = \max \frac{\sum_{j=1}^{s} \sum_{j=1}^{n} \alpha_{j}^{ep} u_{j} Y_{jj}}{\sum_{i=1}^{m} \sum_{j=1}^{n} \alpha_{j}^{ep} v_{i} X_{ij}}$$

. .

(optimization for each employee *e* in each position *p*) *s.t.*

$$\frac{\sum_{i=1}^{s} u_{i} Y_{ij}}{\sum_{i=1}^{m} v_{i} X_{ij}} \le 1, \qquad j = 1, ..., n$$

$$v_{i}, u_{r} \ge 0, \qquad i = 1, ..., m, r = 1, ..., s$$

Using the modifications proposed by Charnes and Cooper [18], we can rewrite Model (4) into the following LP model.

$$E^{ep} = \max \sum_{r=1}^{s} \sum_{j=1}^{n} \alpha_j^{ep} u_r Y_{rj}$$

(optimization for each employee e in each position p) *s.t.*

$$\sum_{i=1}^{m} \sum_{j=1}^{n} \alpha_{j}^{ep} v_{i} X_{ij} = 1,$$

$$\sum_{r=1}^{s} u_{r} Y_{ij} - \sum_{i=1}^{m} v_{i} X_{ij} \leq 0,$$

$$i = 1, ..., n, \quad i = 1, ..., s$$
(5)

Obtaining the optimal values of v_i and u_r in Model (5) and denoting them by ep and *, the average efficiency of each employee can be calculated as follows:

$$E^{ep^*} = \sum_{r=1}^{s} \sum_{j=1}^{n} \alpha_j^{ep} u_r^{ep^*} Y_{ij}$$
(6)

Thus, as the employee efficiency comes to its optimal level, the efficiencies of distinct operation DMUs in which employee *ep* has worked are measured below:

(4)

$$E_{j}^{ep^{*}} = \frac{\sum_{r=1}^{m} u_{r}^{ep^{*}} Y_{ij}}{\sum_{i=1}^{m} v_{i}^{ep^{*}} X_{ij}}$$
(7)

To measure teammate-adjusted efficiencies, we need to obtain the efficiencies related to two-person combinations of employees working in distinct operations, as shown in Model (8).

$$E^{t} = \max \sum_{r=1}^{s} \sum_{j=1}^{n} \alpha_{j}^{t} u_{r} Y_{rj}$$

52

(optimization for each two-person combination *t*) s.t.

$$\sum_{i=1}^{m} \sum_{j=1}^{n} \alpha_{j}^{t} v_{i} X_{ij} = 1,$$

$$\sum_{r=1}^{s} u_{r} Y_{ij} - \sum_{i=1}^{m} v_{i} X_{ij} \leq 0, \qquad j = 1, ..., n$$

$$v_{i}, u_{r} \geq 0, \qquad i = 1, ..., m, r = 1,$$

where α_i^t is a binary matrix representing the presence of two-person combination t in distinct operation DMU j. This LP optimization model is run for two-person combinations of employees, t = $1, \dots, T$. The maximum number of these combinations is obtained from the selection of two persons from total employees minus the combinations of two employees working in the same position. Thus, $T \leq \left(\sum_{p=1}^{K} H_p\right) - \sum_{p=1}^{K} \left(\frac{H_p}{2}\right)$, where

$$E^{g} = \max \sum_{r=1}^{s} \sum_{j=1}^{n} \alpha_{j}^{g} u_{r} Y_{rj}$$

(optimization for each group g) s.t.

$$i = 1, ..., m$$
, $r = 1, ..., s$

 $\sum_{p=1}^{K} H_{p}$ is the total number of employees in

different positions and $\begin{pmatrix} H_p \\ 2 \end{pmatrix}$ is the number of 2-

combinations within the set of all employees in the same position p.

At the end of Step 1, we also need to measure the efficiencies of a whole group of employees working in distinct operations, as shown in Model (9)

$$\sum_{i=1}^{m} \sum_{j=1}^{n} \alpha_{j}^{g} v_{i} X_{ij} = 1,$$

$$\sum_{r=1}^{s} u_{r} Y_{rj} - \sum_{i=1}^{m} v_{i} X_{ij} \le 0, \qquad j = 1, ..., n$$

$$v_{i}, u_{r} \ge 0, \qquad i = 1, ..., m, \quad r = 1, ..., s$$

where α_i^g is a binary matrix representing the presence of group g in distinct operation DMU j. This LP optimization model is run for different groups of employees, g = 1, ..., G. The maximum number of these groups is obtained through selection of an employee from each position.

Thus, $G \leq \prod_{p=1}^{K} H_p$ where H_p is the number of employees working in position p.

(8)

(9)

2.2. Step 2

At Step 1, the efficiencies are measured from three perspectives. (1) Individual employees, (2) two-person combinations of employees, and (3) whole group of employees. In Step 2, the efficiency of employees is adjusted according to their teammates' relative level of performance.

In this regard, we first define the efficiency ratio of teammates to the employee under evaluation. Such an efficiency ratio has two implications: (a) The higher efficiency of a teammate in operations in which the employee under evaluation is not present indicates the higher relative performance of the teammate; (b) The higher efficiency of an employee under evaluation in operations in which a teammate is not present indicates the lower relative performance of the teammate. Thus, we define the efficiency ratio of teammates against the employee under evaluation as follows.

Definition 2 The efficiency ratio of teammates against the employee under evaluation is

$$R_{e^{p'}_{p\neq p'}}^{e^{p}_{j}} = \begin{cases} \frac{A \text{ verage } \gamma_{e^{p},j}^{e^{p}} E_{j}^{e^{p}}}{A \text{ verage } \gamma_{e^{p},j}^{e^{p}} E_{j}^{e^{p}}} & \left\{\gamma_{t,j}^{e^{p}}\right\}, \left\{\gamma_{t,j}^{e^{p'}}\right\} \neq \emptyset, \\ \frac{E^{t=\{ep,e^{t}p'\}}}{A \text{ verage } \gamma_{e^{p},j}^{e^{p}} E_{j}^{e^{p}}} & \left\{\gamma_{t,j}^{e^{p}}\right\} \neq \emptyset, \left\{\gamma_{t,j}^{e^{t}p'}\right\} = \emptyset, \\ \frac{A \text{ verage } \gamma_{e^{p},j}^{e^{p}} E_{j}^{e^{p}}}{\int_{j=1,\dots,n}^{j=1,\dots,n} E^{t=\{ep,e^{t}p'\}}} & \left\{\gamma_{t,j}^{e^{p}}\right\} = \emptyset, \left\{\gamma_{t,j}^{e^{p}}\right\} = \emptyset, \\ 1 & \left\{\gamma_{t,j}^{e^{p}}\right\}, \left\{\gamma_{t,j}^{e^{p}}\right\} = \emptyset. \end{cases}$$

$$(10)$$

where $E_{i}^{e'p'}$ is obtained through Eq. (7) and $E^{t=\{ep,e'p'\}}$ through Model (8). Moreover, $\gamma_{ep,j}^{e'p'}$ is a binary matrix representing the presence of teammate e' of position p' in DMU j, while the employee e of position p is not present in the same operation of DMU *j*. Likewise, $\gamma_{e'p',j}^{ep}$ is a binary matrix representing the presence of employee e of position p in DMU j, while his/her teammate employee e' of position p' is not present in the same operation of DMU *j*. The first item of Eq. (10) is related to a case in which $\left\{\gamma_{t,j}^{ep}\right\}, \left\{\gamma_{t,j}^{e'p'}\right\} \neq \emptyset$, which means that both counter-presences of the employee under evaluation and his/her teammates are applicable. Otherwise, as expressed in the second, third, and fourth items of Eq. (10), in the case that either $\left\{\gamma_{t,j}^{ep}
ight\}$ or $\left\{\gamma_{t,j}^{e'p'}
ight\}$ does not exist, we replace it with the efficiency of the two-person combination, $E^{t=\{ep,e'p'\}}$. In doing so, on the one hand, we utilize the most available data (for instance Average $\gamma_{e'p',i}^{ep} E_i^{ep}$ in the second item) to j=1,...,n estimate the relative performance of the employee under evaluation against his/her teammates and, on the other hand, we use $E^{t=\{ep,e'p'\}}$ as a neutral value to make the obtained efficiency ratio comparable with other equivalent values of $R_{ep}^{e'p'}$. It is clear that an employee is not $p \neq p'$

the teammate of himself or herself, thus $R_{ep}^{e'p'} = 0$

To calculate the teammate-adjusted efficiencies, we consider an input-output model. We have Kinputs related to the efficiency ratio of teammates to the employee under evaluation and one output related to the efficiency of the associated group. A simplified method for this problem is weighting the inputs and output by predetermined fixed weights. In contrast, DEA provides weights that are obtained directly from the data and several prior assumptions related to fixed weights are avoided. Besides, the weights are determined in a way that finds the optimal set of weights. Therefore, we construct another DEA model with the efficiency ratio of teammates to the employee under evaluation; thus, $R_{ep}^{e'p' \in g}$ represents K inputs and the efficiency of the associated group; E^{g*} represents one output, as presented in Model (11), to measure the adjusted employee efficiencies E_{adi}^{ep} .

54

$$E_{adj}^{ep} = \max \sum_{g=1}^{G} \beta_g^{ep} \hat{u} E^{g^*}$$

(optimization for each employee e in position p) *s.t.*

$$\begin{split} &\sum_{p'=1}^{K} \sum_{g=1}^{G} \beta_{g}^{ep} \hat{v}_{p'} R_{ep}^{e'p' \in g} = 1, \\ &\beta_{g}^{\overline{ep}} \hat{u} E^{g} - \sum_{p'=1}^{K} \beta_{g}^{\overline{ep}} \hat{v}_{p'} R_{\overline{ep}}^{e'p' \in g} \le 0, \\ &\hat{v}_{p}, \hat{u} \ge 0, \end{split}$$

where \hat{v}_p and \hat{u} are the multiplier variables of input *p* and the single output, respectively. Besides, β_g^{ep} is a binary matrix representing the presence of employee *e* of position *p* in group *g*.

3. Application to Oil and Gas Wells Drilling

Various operations have the structure of multiple positions with rotational employees, as shown in Fig. 1. To illustrate the capabilities of the proposed model in a real situation, an application to oil and gas wells drilling is discussed. The case study is based on the data of 20 wells drilled in the South Pars gas field from the year 2011 to 2015. South Pars/North Dome field with the ownership shared between Iran and Qatar is by far the world's largest natural gas field located in the Persian Gulf. We employ the methodology presented in Section 2 to evaluate the performance of 39 employees in four positions who have worked in three projects of phases 16, 17B, and 18B, which consist of 160 distinct operations.

3.1. Inputs and output

According to the drilling programs developed by drilling engineers in the South Pars gas field, the drilling operation of a well in this field starts with drilling a 32" diameter hole and it continues with drilling holes with 24", 16", 12 $\frac{1}{4}$ ", and 8 $\frac{1}{2}$ " diameters. The scope of the present DEA application is the 12 1/4" hole section. The operation of the first drilling bit in the 12 1/4" section starts approximately from 1600m depth and lasts approximately 1200 meters until reaching 2800m depth. The length of the whole wells in the South Pars gas field is around 4000 meters. То fairly reflect the drilling performances, the factors influencing the difficulty level of a directional well have been

$$\overline{p} = 1,...,K$$
, $\overline{e} = 1,...,H_{\overline{p}}$,
 $g = 1,...,G$
 $p = 1,...,K$

(11)

included in the inputs. The inverse directional drilling index (X_1) , Non-sliding hours (X_2) , formation's softness (X_3) , bit's life (X_4) , and expected learning achieved (X_5) are the input variables of the model. The Directional Drilling Index (DDI), proposed by Oag and Williams [19], is a technical measure of a well's difficulty and the percentage of non-sliding hours is specified based on rotating and sliding hours and softness of the formation is a quantified value between 0 and 4 based on the lithology and hardness data extracted from daily geology reports. Bit's life is another input to the model and is a quantified value between 0 and 16. When a bit is pulled out of the hole after drilling, the condition of the bit is recorded using a standard system of letters and numbers called dull grading recognized by the International Association of Drilling Contractors (IADC). A grading scale between 0-8 is used to note the amount of wear on the inner and outer rows of a bit. Therefore, the sum of the inner and outer wears and the bit's life, which is the opposite, ranges between 0-16. Calculation of the bit's life during the drilling operation is supported by the concept of Mechanical Specific Energy (MSE), as discussed by Abbas [20], Liu et al. [21], and Abbas et al. [22]. The last input, which is the expected learning achieved, will be discussed in the next section.

Time-related costs of a drilling operation are high, up to \$150,000 a day, on an offshore jackup rig in the years from 2011 to 2015. In general, to drill faster, the weight On Bit (WOB) and the Revolutions Per Minute (RPM) can be increased. Increasing both of these parameters or either also increases the rate of wear. So, it is critical to find the optimum set of drilling parameters to achieve the desired rate of penetration [23]. Therefore, the output variable is the Rate of Penetration (ROP), in meters per hour, which is the speed at which the bit drills. Fig. 2 illustrates the structure of the DMUs constructed by four positions (drilling supervisors and directional drillers of the shifts day and night) that affect ROP as the output of drilling operations in the case of having five selected inputs.




Fig. 2. Structure of a DMU constructed by four positions working in drilling projects

Table 1 shows the descriptive statistics of inputs and outputs for 160 distinct operations of 20 wells in the South Pars gas field, Phases 16, 17B, and 18B.

Tab. 1. Descriptive statistics of inputs and output in Step 1 in south pars gas field, phases 16, 17B, and 18B

Туре	Variable	Mean	Minimum	Maximum	Std. dev.
Input	Inverse DDI	13.882	0.696	77.534	15.692
	Non-sliding hours (%)	84%	39%	100%	17%
	Formation's softness (0-4)	2.298	0.135	3.673	0.746
	Bit's life (0-16)	14.409	10.247	16.000	1.322
	Expected learning achieved	0.476	0.095	0.727	0.163
Output	ROP (meter/hour)	10.498	3.433	23.944	3.587

The details of the data gathering process are laid out in the following. The Directional Drilling Index (DDI) is calculated by multiplying Measured Depth (MD), along Hole Displacement (AHD), and tortuosity, divided by True Vertical Depth (TVD). These data are obtained from directional survey reports containing the inclination and azimuth data. To ensure a desirable variable, the inverse of DDI has been used as the first input. The drilling time is divided into rotating and sliding hours. The next desirable input is the rotating or non-sliding hours, which is specified by the percentage of the total drilling time. Formation's hardness is classified into different levels of soft, soft to medium-hard, medium-hard, and medium-hard to hard. Besides, the formation's lithology affects the difficulty of drilling. For instance, the lithology types of Limestone, Calcareous Dolomite, Dolomitic Limestone, Dolomite, Argillaceous Limestone, Anhydrite, Claystone, Marl, and Shale have different difficulty levels that could be quantified based on the geologists' judgment. To quantify the formation's softness, a number has been assigned to each hardness level and each lithology. In doing so, we have a number between 0 and 4 based on the proportion of each hardness or lithology type within each formation. This forms the formation's softness as the last input of the model. The ROP data are obtained from the daily mud logging reports. Mechanical Specific Energy (MSE) is also calculated using ROP, WOB, RPM, and Torque data in daily mud logging reports. Besides, the bit's dull grading at the end of the bit's operation is available in daily drilling reports. The dull grading level during the operation is estimated using the cumulative MSE. The bit's life level is then calculated by subtracting the bit's dull grading from 16, which is the life level of a new bit.

3.2. Expected learning achieved

The more drilling operations conducted, the more lessons learned obtained from successes and failures. This is a kind of intangible resource for the operational teams. Thus, we can consider the achieved learning as an input to our DEA model. This way, the operational teams will be fairly evaluated regarding the number of available lessons learned from past operations. To calculate the expected learning achieved, the concept of learning curves is deployed. Exponential models are utilized to construct the learning curves in case of an increase in output or productivity [9,10,24]. The two-parameter exponential model of Mazur and Hastie [25] is formulated as follows:

$$y = k \left(1 - e^{-(t/R)} \right) \tag{12}$$

where y represents the number of units produced since the start of production, t is the time that has elapsed since the start of production, k is the prediction of maximum performance after an infinite amount of time ($k \ge 0$), and R is the learning rate parameter which measures how fast an individual learns.

As explained about the case study, we confront 160 operations of 20 wells in three projects. However, there exist two breaks between these three projects. Thus, we need to adjust the expected learning achieved due to these two breaks. To assess the impact of an operation break, it is first necessary to quantify how much learning has been achieved prior to the break and then, quantify how much of that learning has been lost due to the break.

We divide the learning lost due to operation break into five categories, as given in Table 2. This is the same as the categories presented by Mislick and Nussbaum [13]. The weights in calculating Lost Learning Factor (LLF) and the percentage of learning lost in two breaks are also presented in Table 2. We will ultimately calculate LLF, which is the total percentage of learning that we have forgotten or lost.

Factors		Remark related to the case study	Weight	Percent Learning Los			
raciois		Kemark Telated to the case study	weight	Break 1	Break 2		
Key personnel		drilling supervisors and directional drillers	25%	100%	100%		
Supervisors		drilling operations manager and project manager	10%	100%	0%		
Continuity operation	of	nature of operation related to the section 12 $\frac{1}{4}$?	30%	0%	0%		
Methods		drilling programs and lessons learned	20%	0%	0%		
Key tools		drilling rig	15%	0%	100%		
			LLF=	35%	40%		

Tab. 2. Lost learning factor (LLF) calculations for the case study

The weights imply the importance of each category and are estimated by the management team. In break one, which occurs before the start of project B, key personnel (drilling supervisors and directional drillers) and supervisors (drilling operations manager and project manager) have changed entirely. Thus, the percentages of learning lost regarding these two factors are 100%. However, the other factors including continuity of operation (hole section 12 $\frac{1}{4}$), methods (drilling programs and available lessons learned), and key tools (drilling rig) remained the same as those in the project A. In break two, which occurred before the start of the project C, kev personnel (drilling supervisors and directional drillers) changed entirely and the project utilized another drilling rig. Therefore, the

percentages of the learning lost regarding these two factors are 100% and the other factors have remained the same as those in the project B. Applying weighted average in the breaks one and two results in LLF=35% and 40%, respectively. As a rule of thumb, we set k=1 and R=10 in Eq. (12) to construct a learning curve that is suitable for representing the learning expectations in the scope of 20 wells as the operation sequences. Thus, $L_c = 1 - e^{-(c/10)}$, where L_c is the expected learning achieved in the operation sequence c. Fig. 3 shows the learning curves constructed over 160 operation DMUs related to 20 wells in three projects. It also presents learning lost after two breaks in the drilling operation that result in modified learning curves.




Fig. 3. Expected learning achieved for 160 operations of 20 wells in three projects

Table 3 shows the parameters required for calculating the expected learning achieved for the mentioned two breaks.

Tab. 3. Parameters of expected learning achieved for two breaks in operation

Break	Learning achieved before break	LLF	Learning lost	original L for the first operation after break	revised L for the first operation after break	Operation number on the original learning curve
1	0.41	35%	0.14	0.55	0.41	$5.2 \simeq 5$
2	0.50	40%	0.20	0.63	0.43	$5.7 \simeq 6$

* L is the expected learning achieved, which is depicted in Fig. 3.

As shown in Table 3, the learning achieved before break one is $L_7 - L_1 = 0.41$. By applying LLF of 35% to the learning achieved, the learning lost is obtained as $0.41 \times 35\% = 0.14$. The first operation after break one, L_8 , is estimated by the original value of L_8 in the basic learning curve, which is 0.55 minus the amount of learning lost, 0.14. Thus, $L_8 = 0.55 - 0.14 =$ 0.41. Finally, we need to find the operation sequence on the original learning curve, which is approximately the same as the estimated L of the first operation after the break. From the basic learning curve equation, we have $e^{-(c/10)} = 1 - L_a$. Then, $c = -10 \ln(1 - L_c)$. Therefore, the operation number on the original learning curve which is approximately the same as $L_8 = 0.41$ is $c = 5.2 \simeq$ 5. The first operation of the project B is shown appropriately in Fig. 3. Likewise, the operation number on the original learning curve which is approximately the same as $L_{13} = 0.43$ is $c = 5.7 \approx 6$. Eventually, according to the constructed learning curve, we obtain the expected learning achieved as an input, as presented in Table 3.

3.3. Employees and their presence in operations

As discussed in the proposed model, we need α_j^{ep} in Model (5), α_j^t in Model (8), α_j^g in Model (9), $\gamma_{ep,j}^{e'p'}$ in Eq. (10), and β_g^{ep} in Model (11). All of these binary matrixes representing the presence of employee ep, two-person combination *t*, or group *g* in distinct operation DMU *j*, directly or indirectly, can be extracted from Table 4.

																D	Ml	Js														
Position	Employe e	j1-8	i9-16	j17-21	j22-24	j25-32	33-35	j36-40	j41-48	j49-56	j57-64		i68-72	173-77	i78-80	j81-83	j84-88	j89-93	j94-96	j97-103	j104	j105-108	j109-111	j112	j113-117	j118-120	j121-126	j127-128	j129-136	j137-144	j145-152	j153-160
Drilling supervisor s -Day	A03 A04	1	1	1	1	1	1	1	1	1										1			1	1			1	1			1	
	A05 A06 A07										1	1	1	1	1	1	1	1	1		1	1			1				1	1		1
Drilling supervisor s -Night	B01 B02 B03 B04 B05 B06 B07	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Directiona l drillers - Day	C02 C03 C04 C05 C06 C07 C08 C09 C10 C11 C12 C13	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Directiona l drillers - Night	D01 D02 D03 D04 D05 D06 D07 D08 D09 D10 D11 D12	1	1	1	1	1	1	1	1	1	1	1	1	1		1	1	1	1	1		1	1	1	1	1	1	1	1	1	1	1

3.4. Results

58

In Step 1, Models (5), (8), and (9) are applied to the collected dataset of 160 distinct operations. Table 5 presents descriptive statistics of the efficiencies related to 39 employees, 118 twoperson combinations, and 29 groups that have worked in 160 distinct operation DMUs. Due to space limitations, results of E_j^{ep} , E_j^t , and E_j^s are not presented in the paper. In order to clarify the results, we present those related to the first employee A01. Table 6 shows the efficiency scores of two-person combinations related to employee A01 based on Model (8). Besides, employee A01, as a drilling supervisor of day, has worked in four different groups, as stated in Table 7. The efficiencies of the related groups, E^{g} , are also presented in Table 7. For instance, it shows that employee A01 has his best performance in the team {A01B05C01D03} with

teammates B05, C01, and D03. Moreover, Table 7 shows the efficiency ratio of teammates, $R_{en}^{e'p'}$,

related to employee A01.

Tab. 5. Descriptive statistics of efficiencies related to employees, two-person combinations,

al	iu groups				
Variable	Count	Mean	Minimum	Maximum	Std. dev.
E^{ep} , efficiency score of employees	39	0.546	0.380	0.814	0.092
E^{t} , efficiency score of two-person combinations	118	0.564	0.290	0.913	0.116
E^{g} , efficiency score of groups	29	0.589	0.290	0.913	0.140

Tab. 6. Efficiency scores of two-person combinations related to employee A01

Two-person combination	$E^{t=\{ep,e'p'\}}$
{A01,B05}	0.547
{A01,B06}	0.517
{A01,C01}	0.607
{A01,C02}	0.580
{A01,C03}	0.514
{A01,D03}	0.640
{A01,D02}	0.580
{A01,D01}	0.510

Tab. 7. Efficiency ratio of teammates related to employee A01

Employee in groups	E^{g}	$A ver_{j=1,j}$	$age \gamma_{e'p'}^{ep}$	$_{j}E_{j}^{ep}$	$A ven_{j=1,j}$	rage $\gamma_{ep,j}^{e'p'}$	$E_{j}^{e'p'}$			$R_{\scriptscriptstyle ep}^{{\scriptscriptstyle e'p'}}$	
		В	С	D	 В	С	D	-	В	С	D
A01	0.64	0.50	0.53	0.53	0.73	0.77	0.78		1.47	1.43	1.46
{A01B05C01D03}	0	0	8	3	8	0	1		7	2	5
A01	0.58	0.50	0.56	0.56	0.73	0.36	0.36		1.47	0.65	0.65
{A01B05C02D02}	0	0	5	5	8	9	9		7	3	3
A01	0.51	0.50	0.60	0.61	0.73	NA	0.82		1.47	0.85	1.33
{A01B05C03D01}	4	0	0	7	8	INA	2		7	7	3
A01	0.51	0.57	0.53	0.61	NIA	0.77	0.82		0.90	1.43	1.33
{A01B06C01D01}	7	2	8	7	NA	0	2		4	2	3

Teammates B, C, and D are drilling supervisor - night, directional driller -day, and directional driller -night, respectively.

According to Eq. (10), in order to calculate $R_{ep}^{e'p'}$, we need Average $\gamma_{e'p',j}^{ep} E_j^{ep}$ and Average $\gamma_{ep,j}^{e'p'} E_j^{e'p'}$, as shown in Table 7. Let us examine the efficiency ratio of teammate B05 against employee A01, which is R_{A01}^{B05} . From the results of Step 1 and the presence data of Table 4, we calculate Average $\gamma_{B05,j}^{A01} E_j^{A01} = 0.5$ and

Average $\gamma_{A01,j}^{B05} E_j^{B05} = 0.738$. Thus, $R_{A01}^{B05} = 0.738/0.5$

= 1.477. As seen in Table 4, there is no operation in which "employee C03 is present; however, A01 is not". The term NA in Table 7 indicates these situations. In this regard, let us examine the efficiency ratio of teammate C03 against employee A01, which is R_{A01}^{C03} . From the results of Step 1 and the present data of Table 4, we calculate *Average* $\gamma_{C03,j}^{A01} E_j^{A01} = 0.6$ and we see that

Average $\gamma_{A01,j}^{C03} E_j^{C03}$ is not available. From Table 6,

we know that $E^{t=\{A01,C03\}} = 0.514$. Thus, according to the second item of Eq. (10), $R_{A01}^{C03} = 0.514/0.6 = 0.857$.

In Step 2 aimed at measuring teammate-adjusted efficiencies, we have four inputs and one output. For employee A01, model (11) is run four times due to the presence of A01 in four groups. The inputs and outputs are shown in the columns related to $R_{ep}^{e'p'}$ and E^{g} in Table 7, respectively.

Table 8 presents descriptive statistics for all 39 employees in their presence in 116 groups and

60 A DEA Approach to Measuring Teammate-Adjusted Efficiencies Incorporating Learning Expectations: An Application to Oil & Gas Wells Drilling

Table 9 compares basic and teammate-adjusted Models respectively. (5) and (11), efficiency scores of employees obtained by

Tab. 8. Descriptive statistics for inputs and output of Step 2 related to the presence of 116
employees in groups

employees m gi	oups			
Variable	Mean	Minimum	Maximum	Std. dev.
Drilling supervisors -Day	0.999	0.664	1.532	0.224
Drilling supervisors -Night	1.025	0.515	2.139	0.302
Directional drillers -Day	1.073	0.467	1.940	0.289
Directional drillers -Night	1.032	0.593	1.566	0.229
Efficiency score of the related group	0.589	0.290	0.913	0.140
	Variable Drilling supervisors -Day Drilling supervisors -Night Directional drillers -Day Directional drillers -Night	Drilling supervisors -Day0.999Drilling supervisors -Night1.025Directional drillers -Day1.073Directional drillers -Night1.032	VariableMeanMinimumDrilling supervisors -Day0.9990.664Drilling supervisors -Night1.0250.515Directional drillers -Day1.0730.467Directional drillers -Night1.0320.593	VariableMeanMinimumMaximumDrilling supervisors -Day0.9990.6641.532Drilling supervisors -Night1.0250.5152.139Directional drillers -Day1.0730.4671.940Directional drillers -Night1.0320.5931.566


loyee Basic, mo 01 0.54 02 0.50 03 0.81 04 0.38 05 0.47 06 0.57 07 0.63	43 0.455 06 0.479 14 0.957 80 0.311
02 0.50 03 0.81 04 0.38 05 0.47 06 0.57	06 0.479 14 0.957 80 0.311
03 0.81 04 0.38 05 0.47 06 0.57	14 0.957 80 0.311
04 0.38 05 0.47 06 0.57	80 0.311
05 0.47 06 0.57	
06 0.57	73 0.502
07 0.63	0.532
	30 0.685
01 0.45	56 0.421
02 0.52	28 0.711
03 0.63	36 0.800
04 0.56	61 0.489
05 0.59	98 0.689
06 0.51	0.465
07 0.38	80 0.378
01 0.68	
02 0.45	59 0.525
03 0.51	0.505
04 0.53	30 0.590
05 0.62	
06 0.61	0.910
07 0.56	69 0.776
08 0.55	51 0.725
09 0.54	41 0.711
10 0.56	63 0.898
11 0.45	57 0.516
	0.526
13 0.42	28 0.450
01 0.60	06 0.665
02 0.45	59 0.505
03 0.66	62 0.761
04 0.56	64 0.641
05 0.59	91 0.610
06 0.55	51 0.679
11 0.45	56 0.492
	$\begin{array}{cccccccccccccccccccccccccccccccccccc$

Tab. 9. Efficiency scores of employees

According to Table 9, the adjusted efficiency of employee A01 is 0.455, which is less than his basic efficiency of 0.543, because employee A01 has teammates B05, C01, D03, D01 that have a higher efficiency ratio $R_{ep}^{e'p'}$ against employee A01 in the associated groups, as shown in Table

7. This finding, as revealed by Model (11), is given in comparison to the efficiency ratios of other employees and their teammates.

Fig. 4 presents the ranking of employees in four positions.





Although employee A01 has the 4^{th} rank in the basic model, he has been demoted to the 6^{th} rank after measuring adjusted efficiencies considering the relative performance of his teammates. In contrast, employee A05 has been promoted to the 4^{th} rank considering teammate-adjusted efficiencies. Likewise, there are changes in the

rankings of other employees in other positions, as shown in Fig. 4. Moreover, Model (11), which measures adjusted efficiencies, results in a wider range of efficiencies, which implies greater discrimination power of the proposed model, as shown in Fig. 5.




Fig. 5. Comparison of efficiency ranges between basic and adjusted models

While the minimum and maximum efficiencies of drilling supervisors of the day in the basic model are 0.380 and 0.814 according to Table 9, the minimum and maximum efficiency rates of this position in the adjusted model are 0.311 and 0.957. It is shown that the adjusted model better discriminates between the lowest and highest performances by a range of 0.957 - 0.311 = 0.646against 0.814 - 0.380 = 0.434 in the basic model. Likewise, the ranges of efficiencies related to the demonstrate other positions greater discrimination power of the adjusted model, as shown in Fig. 5.

62

4. Conclusion

This paper addressed the following research questions: (a) how one should measure the teammate-adjusted efficiency of employees in a multi-position system? and (b) what are the ranks of the drilling supervisors and directional drillers in the drilling operations of 20 wells in the South Pars gas field considering teammates' performances and learning expectations?

This study attempted to answer the first research question by proposing a DEA model in the first step to measure the average efficiency of the individual, the two-person combination, and the whole group of employees in a multi-position system. The second step utilized another DEA model to measure the teammate-adjusted efficiency of employees. To achieve the aforementioned aim, we defined the efficiency ratio of teammates against the employees under evaluation. It helped us model two aspects: (a) The more efficiency of a teammate in operations, in which the employee under evaluation is not present, indicates the more relative performance of the teammate; (b) The higher efficiency of an employee under evaluation in operations in which

Downloaded from ijiepr.iust.ac.ir on 2024-08-14

a teammate is not present indicates the less relative performance of the teammate.

We also tried to answer the second question as follows. The inverse directional drilling index, non-sliding hours, formation's softness, bit's life, and the expected learning achieved were selected as inputs and ROP was chosen as output. Since the lessons learned as an intangible resource help the subsequent operational teams to tackle the operational problems more successfully, we considered the expected learning achieved as an input to the model. It was formulated by an exponential learning curve incorporating the effect of learning lost after two breaks in the operation. The proposed DEA model was then applied to perform an empirical study of 20 wells with 160 distinct operations in the South Pars gas field. The results revealed which employees were of high performance before and after adjusting efficiencies. Such adjusted scores provide the organization with an indicator for fairly ranking the employees as some of them demoted or promoted to new ranks after considering the effect of their teammates. Besides, the adjusted scores indicate larger ranges of efficiencies, implying the greater discrimination power of the proposed model. Moreover, since the present paper is the first application of DEA for measuring the drilling performance of oil and gas wells, it can be a starting point for further research in such an interesting and critical field. Future research includes the application of the proposed model to a general network or dynamic structures [26-28]. Further study is also required for investigating suppliers' performance in case of joint operations. Moreover, as the current study focuses on the ROP as a single output, an investigation of sustainability [29] or considering undesirable outputs are other interesting further research directions.

Acknowledgments

The authors would like to thank Dana Energy Company for supporting the present research that is associated with the development projects of Phases 15&16 and 17B&18B in the South Pars gas field.

References

- [1] Baker Hughes, International Rig Count, (2019).
- [2] Duguay, A., Sridhar, B., Boisson, G., and Dolmetta, L., "Managing Shift Work in the Offshore Workplace", *Society of Petroleum Engineers*, (2012).
- [3] Brun, A., Aerts, G., and Jerkø, M., "How to achieve 50 percent reduction in offshore drilling costs", *McKinsey*, (2015).
- [4] Charnes, A., Cooper, W.W., and Rhodes, E., "Measuring the efficiency of decision making units", *European Journal of Operational Research*, Vol. 2, No. 6, (1978), pp. 429-444.
- [5] Cook, W.D. and Seiford, L.M., "Data envelopment analysis (DEA) - Thirty years on", *European Journal of Operational Research*, Vol. 192, No. 1, (2009), pp. 1-17.
- [6] Emrouznejad, A. and Yang, G., "DEA Bibliography of recent four decades (1978-2016)", Vol. 61, (2018), pp. 4-8.
- [7] Aldamak, A. and Zolfaghari, S., "Review of efficiency ranking methods in data envelopment analysis", *Measurement*, Vol. 106, (2017), pp. 161-172.
- [8] Jablonowski, C., Ettehadtavakkol, A., Ogunyomi, B., and Srour, I., "Integrating Learning Curves in Probabilistic Well-Construction Estimates", *SPE Drilling & Completion*, Vol. 26, No. 01, (2011), pp. 133-138.
- [9] Glock, C.H., Grosse, E.H., Jaber, M.Y., and Smunt, T.L., "Applications of learning curves in production and operations management: A systematic literature review", *Computers & Industrial Engineering*, Vol. 131, (2019), pp. 422-441.
- [10] Anzanello, M.J. and Fogliatto, F.S., "Learning curve models and applications:

Literature review and research directions", *International Journal of Industrial Ergonomics*, Vol. 41, No. 5, (2011), pp. 573-583.

- [11] Li, Y., Yang, X., and Yang, Z., "Uncertain learning curve and its application in scheduling", *Computers & Industrial Engineering*, Vol. 131, (2019), pp. 534-541.
- [12] Wright, T.P., "Factors Affecting the Cost of Airplanes", *Journal of the Aeronautical Sciences*, Vol. 3, No. 4, (1936), pp. 122-128.
- [13] Mislick, G.K. and Nussbaum, D.A., Chapter
 12: Learning Curves, Production Breaks/Lost Learning, Wiley, (2015).
- [14] Chang, D.-S., Liu, W., and Yeh, L.-T.T., "Incorporating the learning effect into data envelopment analysis to measure MSW recycling performance", *European Journal* of Operational Research, Vol. 229, No. 2, (2013), pp. 496-504.
- [15] Lyu, K., Bian, Y., and Yu, A., "Environmental efficiency evaluation of industrial sector in China by incorporating learning effects", *Journal of Cleaner Production*, Vol. 172, (2018), pp. 2464-2474.
- [16] Ang, S., Chen, M., and Yang, F., "Group cross-efficiency evaluation in data envelopment analysis: An application to Taiwan hotels", *Computers & Industrial Engineering*, Vol. 125, (2018), pp. 190-199.
- [17] Sueyoshi, T., Yuan, Y., and Goto, M., "A literature study for DEA applied to energy and environment", *Energy Economics*, Vol. 62, (2017), pp. 104-124.
- [18] Charnes, A. and Cooper, W.W., "Programming with linear fractional functionals", *Naval Research Logistics Quarterly*, Vol. 9, No. 3-4, (1962), pp. 181-186.
- [19] Oag, A.W. and Williams, M., "The Directional Difficulty Index - A New Approach to Performance Benchmarking", *Society of Petroleum Engineers*, (2000).
- [20] Abbas, R.K., "A review on the wear of oil drill bits (conventional and the state of the

A DEA Approach to Measuring Teammate-Adjusted Efficiencies Incorporating Learning Expectations: An Application to Oil & Gas Wells Drilling

art approaches for wear reduction and quantification)", *Engineering Failure Analysis*, Vol. 90, (2018), pp. 554-584.

64

- [21] Liu, Y., Kibbey, J., Bai, Y., and Wu, X., "Real-Time Bit Wear Monitoring and Prediction Using Surface Mechanics Data Analytics: A Step Toward Digitization Through Agile Development", Society of Petroleum Engineers, (2018).
- [22] Abbas, R.K., Hassanpour, A., Hare, C., and Ghadiri, M., "Instantaneous Monitoring of Drill Bit Wear and Specific Energy as a Criteria for the Appropriate Time for Pulling Out Worn Bits", Society of Petroleum Engineers, (2014).
- [23] Devereux, S., Drilling technology in nontechnical language, PennWell Corp, (2012).
- [24] Grosse, E.H., Glock, C.H., and Müller, S., "Production economics and the learning curve: A meta-analysis", *International Journal of Production Economics*, Vol. 170, (2015), pp. 401-412.
- [25] Mazur, J.E. and Hastie, R., "Learning as accumulation: A reexamination of the learning curve", *Psychological Bulletin*, Vol. 85, No. 6, (1978), pp. 1256-1274.
- [26] Hu, Z., Yan, S., Li, X., Yao, L., and Zhifeng,

Follow This Article at The Following Site:

Nedaei H, Jalali Naini S G, Makui A. A DEA approach to measure teammateadjusted efficiencies incorporating learning expectations: An application to oil & gas wells drilling. IJIEPR. 2021; 32 (1):47-64 URL: http://iijepr.just.ac.ir/article-1-1039-en.html



L., "Evaluating the oil production and wastewater treatment efficiency by an extended two-stage network structure model with feedback variables", *Journal of Environmental Management*, Vol. 251, (2019), pp. 1-8.

- [27] Jahangoshai Rezaee, M., Moini, A., and Bakhshour, F., "An Integrated Approach for Measuring Performance of Network structure: Case study on power plants", International Journal of Industrial Production Engineering æ Research (IJIEPR), Vol. 26, No. 4, (2015), pp. 255-268.
- [28] Azbari, M.E., Olfat, L., Amiri, M., and Soofi, J.B., "A Network Data Envelopment Model Analysis for Supply Chain Performance Evaluation: Real Case of Iranian Pharmaceutical Industry". Journal International Industrial of k Production Engineering Research (IJIEPR), Vol. 25, No. 2, (2014), pp. 125-137.
- [29] Noveiri, M. and Kordrostami, S., "Multi-Period Sustainability Performance in the Presence of Discrete and Bounded Measures", *International Journal of Industrial Engineering & Production Research (IJIEPR)*, Vol. 30, (2019), pp. 507-528.